

## 1. Product Information

<b>Product name</b>	<b>pBM-AV-Helper</b>
<b>Catalog Nr.</b>	100-01-RUO / 100-05-RUO / 100-10-RUO
<b>Quality grade</b>	Research use only (RUO)
<b>Description</b>	DNA plasmid encoding adenovirus E2A, E4 and VA genes intended for preparation of AAV particles
<b>Plasmid Size</b>	10 996 bp
<b>Molecular weight</b>	6 791 kDa
<b>Concentration</b>	1.0 ± 0.2 mg/mL solution in buffer (frozen)
<b>Storage buffer</b>	10 mM Tris-HCl, 1 mM EDTA, pH 8.0 (TE buffer)
<b>Storage temperature</b>	-20 ± 5 °C
<b>Lot. Nr.</b>	Specified on product label
<b>Use by date</b>	Specified on product label
<b>Manufacturer</b>	Biomay AG, Ada-Lovelace-Straße 2; 1220 Vienna, Austria; <a href="http://www.biomay.com">www.biomay.com</a> ; <a href="mailto:info@biomay.com">info@biomay.com</a>

## 2. Description

AAV Helper plasmid encoding adenoviral E2A, E4 and VA genes (NCBI Reference: AF369965.1). The plasmid was propagated by cultivation in *Escherichia coli*, purified by chromatographic methods, 0.2 µm filtered and filled as low bioburden plasmid product. Sequence information as .gb or .fasta-file can be provided upon request.

## 3. Intended Use / Application


**Research use only:** product is a DNA plasmid that has been manufactured and analytically tested under laboratory conditions. It was designed and is intended to be used in conjunction with an AAV Rep/Cap plasmid and an AAV transgene plasmid to transfect HEK293 cells, in order to manufacture adeno-associated virus (AAV) particles. Said AAV particles can be used as eukaryotic gene transfer vectors in research and development.

**The material is intended for research and development use only. The material may not be used in humans,** neither directly (as plasmid) nor indirectly (as AAV particles made therewith).

## 4. Safety information

Material is considered non-infectious, non-toxic and non-pathogenic under the conditions of the intended applications. General safety procedures should still be followed to maintain a safe working environment. Always wear appropriate personal protective equipment (PPE), including lab coats, gloves, and safety glasses, to avoid contamination and accidental exposure. Work in a clean, organized space, and handle reagents with care, avoiding direct contact. Dispose of all waste materials, including gloves and pipette tips, in designated biohazard containers, even though the plasmid DNA is non-hazardous, to prevent cross-contamination. Always wash hands after handling any biological material and before leaving the lab.

## 5. Plasmid Map



## 6. Testing Specifications

Parameter	Method	Specification <i>Research-grade</i>
Appearance	Visual inspection	Clear and colourless solution; free from visible particulates
pH value	pH measurement	8.0 ± 0.5
pDNA homogeneity (% supercoiled)	Anion exchange HPLC	> 85 % supercoiled
DNA concentration	UV spectrophotometry (A <sub>260</sub> )	1.0 ± 0.2 mg / mL
Purity based on A <sub>260</sub> /A <sub>280</sub> ratio	UV spectrophotometry (ratio A <sub>260</sub> /A <sub>280</sub> )	1.8 – 2.1
Identity / Integrity	Restriction digest & agarose gel electrophoresis	Major bands conform to theoretical fragments (expected band pattern)
pDNA sequence	DNA sequencing (complete sequence)	Conforms to reference sequence
Residual host cell DNA	qPCR	< 1.0 % (< 10 µg / mg DNA)
Residual host cell RNA	Fluorometry	< 2.0 % (< 20 µg / mg DNA)
Residual host cell protein	Colorimetry	< 1.0 % (< 10 µg / mg DNA)
Endotoxin	Kinetic chromogenic LAL test (Ph. Eur. 2.6.14 / USP <85>)	≤ 5.0 EU / mg DNA
Bioburden	Testing for bacteria, yeasts & moulds (Ph.Eur.2.6.12/USP <61>)	< 1 cfu / mL